

## ***LISTING OF CLAIMS***

1. (Currently Amended) In a communications environment, a system for managing user profile data, comprising:
  - a) a network interface layer operatively associated with a communications network,
  - b) an aggregation layer operative to extract from network data traffic user profile data and provide the user profile data to a data storage layer, wherein the network data traffic comprises at least a signaling protocol data traffic stream,
  - c) the data storage layer, operative to store user profile data relating to the communications network, and
  - d) a data conversion layer, functionally disposed between the network interface and the data storage layers and which is capable of converting the user profile data into a plurality of communications network formats, wherein the user profile data is converted and passed from the data storage layer to network infrastructure via the data conversion layer and network interface layer in a communications network format utilized by the network infrastructure.
2. (Previously Presented) A system according to Claim 1 wherein the data conversion layer is capable of making bi-directional contact with the network interface layer whereby a plurality of communications network data formats are converted into a user profile data format compatible with the data storage layer.
3. (Previously Presented) A system according to Claim 1 wherein the user profile data is provided in a single format.
4. (Original) A system according to Claim 2 wherein the user profile data is provided in a tagged or tag-based format.
5. (Previously Presented) A system according to Claim 2 wherein the user profile data is provided using an Internet mark-up language.

6. (Previously Presented) A system according to Claim 1 wherein the aggregation layer is operative to convene user profile data relating to a plurality of different communications networks.
7. (Original) A system according to Claim 6 wherein the aggregation layer has a push/pull relationship with the data conversion and data storage layers.
8. (Original) A system according to Claim 6 wherein the aggregation layer comprises a data store selector operative to effect storage of user profile data in appropriate sectors of the data storage layer.
9. (Original) A system according to Claim 1 wherein the data storage layer comprises a rules repository accessible by the aggregation layer, the rules contained within the repository influencing the operation of the aggregation layer.
10. (Original) A system according to Claim 1 further comprising a user access module operative to receive information from a user or subscriber and to effect or request a change, where appropriate, in the user profile data contained within the data storage layer.
11. (Original) A system according to Claim 10 wherein the user access module forms part of the network interface layer.
12. (Previously Presented) A system according to Claim 10 wherein the user access module is receptive to information transmitted using a web-based protocol.

13. (Currently Amended) In a communications environment, a system for managing user profile data, comprising:

- a) a network interface layer operatively associated with a plurality of different communications networks,
- b) an aggregation layer operative to extract from network data traffic user profile data and provide the user profile data to a data storage layer, wherein the network data traffic comprises at least a signaling protocol data traffic stream,
- c) a data storage layer, operative to store user profile data relating to the communications networks, and
- d) a data conversion layer, functionally disposed between the network interface and data storage layers and which is capable of effecting a conversion between a plurality of communications network formats and a user profile format, whereby a plurality of communications networks have access to the data storage layer, thus enabling services to be provided using such networks that are tailored in accordance with the user profile data, wherein the user profile data is converted and passed from the data storage layer to network infrastructure via the data conversion layer and network interface layer in a communications network format utilized by the network infrastructure.

14. (Cancelled).

15. (Previously Presented) A system according to Claim 13 wherein the network interface layer is operatively associated with a plurality of communications networks.

16. (Currently Amended) In a communications environment, a system for managing user profile data, comprising:

a) a network interface layer operatively associated with a communications network and comprising a user access module receptive to information transmitted using a web-based protocol and operative to receive information from a user or subscriber and to effect or request a change, where appropriate, in the user profile data contained within the data storage layer;

b) a data storage layer, operative to store user profile data, provided in a single tagged or tag-based format, relating to the communications network;

c) a data conversion layer, functionally disposed between the network interface and the data storage layers and which is capable of converting the user profile data into a plurality of communications network formats; and

d) an aggregation layer having a push/pull relationship with the data conversion and data storage layers and operative to convene user profile data relating to a plurality of different communications networks from network data traffic comprising at least a signaling protocol data traffic stream, the aggregation layer comprising a data store selector operative to effect storage of user profile data in appropriate sectors of the data storage layer,

wherein the data conversion layer is capable of making bi-directional contact with the network interface layer whereby a plurality of communications network data formats are converted into a user profile data format compatible with the data storage layer and the data storage layer comprises a rules repository accessible by the aggregation layer, the rules contained within the repository influencing the operation of the aggregation layer,

wherein the user profile data is converted and passed from the data storage layer to network infrastructure via the data conversion layer and network interface layer in a communications network format utilized by the network infrastructure.

17. (Previously Presented) A system according to Claim 1 wherein the network interface layer is operatively associated with a plurality of communications networks.

18. (Previously Presented) A system according to Claim 16 wherein the network interface layer is operatively associated with a plurality of communications networks.